





Fig. 1












Fig. 8








Fig. 9













Fig. 14








Fig. 16












Fig. 19












Fig. 22

		DTT mpg.		7
	RED	FILTER 1		
	FILTER	GREEN	BLUE	
	-0.000	FILTER	FILTER	
		0.000	0.000	
	-0.000	-0.000	0.000	
	0.001	-0.000	-0.000	ļ
	-0.004	0.000	0.000	ì
	-0.001	0.000	0.000	
	0.011	-0.002	-0.001	
	-0.037	0.006	0.005	
	-0.015	0.001	0.002	
	0.109	-0.020	-0.014	
	-0.255	0.065	0.031	
	-0.231	0.028	0.029	2301
_	0.632	-0.186	-0.075	
	0.576	0.383	-0.097	OUDDELE
	0.485	0.430	0.357	CURRENT
L	-0.378	0.458	0.630	PIXEL
	0.051	-0.111	0.351	
	0.085	-0.108	-0.103	
	-0.039	0.075	-0.177	
	0.003	-0.009	0.040	
	0.009	-0.017	0.041	
	-0.003	0.007	-0.027	
	0.000	-0.001	0.003	
	0.001	-0.002	0.006	
	-0.000	0.001	-0.003	
	0.000	-0.000	0.000	
	0.000	-0.000	0.001	
-[-0.000	0.000	-0.000	FIG. 23A
1	-0.000	-0.000	0.000	
1	0.000	-0.000	0.000	FIG. 23B
	0.000	0.000	-0.000	. 10. 205
•				FIG. 23C
				110. 250
				FIG. 23D
		FIG. 23A		FIG. 23E
				<u> </u>

FIG. 23

<u></u>	-	· · · · · · · · · · · · · · · · · · ·	-1
	FILTER 2		1
RED	GREEN	BLUE	
FILTER	FILTER	FILTER	
0.000	0.000	-0.000	
0.000	0.000	0.000	
-0.000	0.000	0.000	
0.000	-0.000	-0.000	
0.000	-0.000	-0.000	
-0.000	0.000	0.000	
-0.006	-0.001	0.000	
0.004	-0.001	-0.001	
0.034	-0.000	-0.003	
-0.183	0.019	0.018	1
-0.147	-0.004	0.010	2302
0.468	-0.093	-0.055	/
0.514	0.387	0.047	
0.445	0.430	0.308	CURRENT
-0.170	0.408	0.514	PIXEL
0.009	-0.072	0.251	
0.031	-0.089	-0.009	
0.001	0.020	-0.119	
-0.001	0.000	0.017	
-0.000	-0.003	0.025	
0.000	-0.001	-0.004	
-0.000	0.000	-0.000	
-0.000	0.000	0.001	
0.000	-0.000	0.000	
0.000	0.000	-0.000	
-0.000	0.000	-0.000	
-0.000	0.000	0.000	
0.000	-0.000	-0.000	
0.000	-0.000	-0.000	
-0.000	0.000	-0.000	

FIG. 23B

		FILTER 3		1
	RED	GREEN	BLUE	1
	FILTER	FILTER	FILTER	į
	0.000	-0.000	-0.000	
	0.000	-0.000	-0.000	
	0.000	0.000	-0.000	
	-0.000	0.000	0.000	
	-0.000	-0.000	0.000	
	-0.001	-0.000	-0.000	
	0.006	0.000	-0.000	
	0.009	0.001	-0.000	
	0.002	0.002	0.001	
	-0.121	-0.015	-0.001	
	-0.088	-0.026	-0.007	2303
	0.332	-0.022	-0.022	1
П	0.459	0.393	0.140	01155
	0.418	0.430	0.290	CURRENT
Ц	-0.002	0.367	0.412	PIXEL
I	-0.010	-0.048	0.190	
ı	-0.005	-0.075	0.040	
1	0.002	-0.013	-0.059	
	-0.000	0.003	0.005	
	-0.000	0.003	0.011	
	-0.000	0.000	0.003	
	0.000	-0.000	-0.001	
	0.000	-0.000	-0.001	
1	0.000	0.000	-0.000	
ł	-0.000	0.000	0.000	
	-0.000	0.000	0.000	
	-0.000	-0.000	-0.000	
	0.000	0.000	-0.000	
	0.000	0.000	-0.000	
L	-0.000	0.000	0.000	

FIG. 23C

		FILTER 4		
	RED	GREEN	BLUE	ì
	FILTER	FILTER	FILTER	
	0.000	0.000	0.000	į
	0.000	0.000	0.000	
	-0.000	-0.000	-0.000	
	-0.001	-0.000	-0.000	1
	-0.001	-0.000	-0.000	
	0.001	0.000	0.000	
	0.008	0.003	0.002	
	0.008	0.004	0.002	
	-0.007	-0.002	-0.001	
	-0.077	-0.037	-0.017	
	-0.051	-0.039	-0.019	2304
_	0.237	0.026	0.008	/
	0.419	0.398	0.197	
	0.401	0.429	0.285	CURRENT
Ц	0.113	0.338	0.337	PIXEL
	-0.016	-0.035	0.153	
	-0.025	-0.066	0.065	
	-0.011	-0.031	-0.012	
	0.001	0.004	-0.000	
- 1	0.002	0.006	0.001	
- 1	0.001	0.003	0.001	
- 1	-0.000	-0.000	-0.000	
	-0.000	-0.001	-0.000	
	-0.000	-0.000	-0.000	
	0.000	0.000	0.000	
1	0.000	-0.000	0.000	
	0.000	0.000	0.000	
	-0.000	-0.000	-0.000	
	-0.000	-0.000	-0.000	
	-0.000	-0.000	-0.000	

FIG. 23D

				_
	RED	FILTER 5	Drug	
	FILTER	GREEN	BLUE	
	0.000	FILTER	FILTER	İ
		0.000	0.000]
	0.000	0.000	0.000	
	-0.000	-0.000	-0.000	
	-0.001	-0.001	-0.000	
	-0.001	-0.001	-0.000	
	0.001	0.001	0.000	
	0.006	0.006	0.004	İ
	0.006	0.006	0.003	ł
	-0.008	-0.007	-0.004	
	-0.050	-0.050	-0.029	
	-0.030	-0.047	-0.027	2305
	0.178	0.054	0.029	1
	0.394	0.402	0.229	
	0.391	0.429	0.283	CURRENT
	0.183	0.321	0.291	PIXEL
	-0.018	-0.028	0.132	
	-0.037	-0.061	0.078	
	-0.023	-0.040	0.019	
ı	0.002	0.004	-0.002	
- 1	0.005	0.008	-0.004	
	0.003	0.005	-0.003	
ł	-0.000	-0.000	0.000	
- [-0.001	-0.001	0.001	
	-0.000	-0.001	0.000	
	0.000	0.000	-0.000	
	0.000	0.000	-0.000	
- [0.000	0.000	-0.000	
	-0.000	-0.000	0.000	
	-0.000	-0.000	0.000	
	-0.000	-0.000	0.000	

FIG. 23E